

Träger D'bg				Stb./to.	Bestand
Abmessung		HEA	Länge		Duisburg
HEA	180	S235JR	5,2m	#####	#BEZUG!
HEA	180	S235JR	14m	2	1
HEA	200	S235JR	5,70m	1	0,24
HEA	200	<b>S355J2</b>	12m	14	7,13
HEA	220	S235JR	11,60m	1	0,483
HEA	220	S235JR	12m	6	3,636
HEA	220	S235JR	15m	4	3,1
HEA	240	S235JR	4,53m	2	0,55
HEA	240	S235JR	14m	1	0,85
HEA	240	<b>S 355 J2</b>	12m	5	3,64
HEA	300	S235JR	6,60m	1	0,583
HEA	300	S235JR	8,85m	1	0,781
HEA	300	S235JR	9,20m	1	0,812
HEA	300	S235JR	17m	2	3,002
HEA	300	<b>S 355 J2</b>	11,80m	2	2,08
HEA	300	<b>S 355 J2</b>	12m	23	24,5
HEA	340	<b>S 355 J2</b>	12m	20	25,41
HEA	360	S235JR	12m	3	4,06
HEA	360	<b>S 355 J2</b>	9,30m	2	2,083
HEA	360	<b>S 355 J2</b>	12m	11	15
HEA	400	S235JR	12m	0	0
HEA	400	<b>S 355 J2</b>	12m	23	34,8
HEA	450	S235JR	9,80m	2	2,744
HEA	450	S235JR	11,95m	1	1,67
HEA	450	S235JR	14m	4	7,896
HEA	450	S235JR	15m	1	2,114
HEA	450	<b>S 355 J2</b>	11,28m	1	1,579
HEA	450	<b>S 355 J2</b>	12m	16	27,1
HEA	500	<b>S 355 J2</b>	12m	17	31,9
HEA	550	S235JR	8,95m	2	2,971
HEA	600	S235JR	7,40m	1	1,317
HEA	600	S235JR	12m	1	2,154
HEA	600	S235JR	18m	2	6,444
HEA	600	<b>S 355 J2</b>	12m	12	25,9
HEA	650	<b>S 355 J2</b>	5,50m	1	1,1
HEA	650	<b>S 355 J2</b>	10m	1	1,9
HEA	650	<b>S 355 J2</b>	12m	1	2,29
HEA	650	<b>S 355 J2</b>	16m		0
HEA	650	<b>S 355 J2</b>	18m		0
HEA	700	S235JR	7,90m	1	1,612
HEA	700	S235JR	12m	1	2,5
HEA	700	S235JR	15m	2	6,161
HEA	700	S235JR	16m	1	3,284
HEA	700	S235JR	17m	2	7
HEA	700	S235JR	18m	2	7,4
HEA	700	<b>S 355 J2</b>	12,10m	10	24,5
HEA	700	<b>S 355 J2</b>	12,50m	1	2,55
HEA	700	<b>S 355 J2</b>	14m	2	5,753

HEA	700	<b>S 355 J2</b>	16m	1	3,284
HEA	700	<b>S 355 J2</b>	20m	3	12,3
HEA	1000	S235JR	7m	1	1,904
HEA	1000	S235JR	10m	1	2,72
HEA	1000	S235JR	14m	2	7,67
HEA	1000	S235JR	15m	3	12,32
HEA	1000	<b>S 355 J2</b>	9m	0	0

<b>HEB</b>
------------

HEB	100	S235JR	6-8m	2	0,245
HEB	120	<b>S 355 J2</b>	14m	3	1,129
HEB	140	S235JR	6-8m	0	0
HEB	140	<b>S 355 J2</b>	10,60m	1	0,357
HEB	160	<b>S 355 J2</b>	12m	1	0,515
HEB	180	<b>S 355 J2</b>	5,50m	1	0,282
HEB	180	<b>S 355 J2</b>	12m	2	1,239
HEB	200	<b>S 355 J2</b>	12m	63	46,73
HEB	220	S235JR	8m	1	0,57
HEB	240	<b>S355</b>	12m	30	30,2
HEB	260	S235JR	12m	1	1,12
HEB	280	S235JR	12m	1	1,24
HEB	300	S235JR	5,97m	1	0,7
HEB	300	S235JR	6m	1	0,7
HEB	300	S235JR	12m	1	1,4
HEB	340	<b>S 355 J2</b>	8,67m	1	1,16
HEB	360	<b>S 355 J2</b>	12m	20	34,4
HEB	400	S235JR	10m	1	1,55
HEB	400	<b>S 355 J2</b>	12m	14	26
HEB	450	S235JR	11m	10	18,982
HEB	450	S235JR	11,89m	4	8,133
HEB	450	S235JR	12m	1	2,1
HEB	450	S235JR	12,88m	1	2,202
HEB	450	S235JR	12,89m	3	6,613
HEB	450	S235JR	14m	2	4,788
HEB	450	<b>S 355 J2</b>	12m	13	26,9
HEB	500	S235JR	7m	1	1,309
HEB	500	S235JR	14m	1	2,64
HEB	500	S235JR	16,80m	2	6,28
HEB	500	<b>S 355 J2</b>	12m	6	15
HEB	550	S235JR	7,60m	2	3,025
HEB	550	S235JR	10m	1	2,01
HEB	550	S235JR	11m	8	17,672
HEB	550	S235JR	11,40m	1	2,269
HEB	550	S235JR	14m	3	8,418
HEB	550	S235JR	15m	3	9,015
HEB	550	S235JR	18m	1	3,602
HEB	550	S235JR	19m	2	7,602
HEB	550	S235JR	20m	1	4
HEB	600	S235JR	5,50m	1	1,166
HEB	600	S235JR	10m	2	4,282

HEB	600	<b>S 355 J2</b>	12m	0	0
HEB	650	S235JR	8,90m	1	2,003
HEB	650	S235JR	10,60m	1	2,385
HEB	650	S235JR	11m	1	2,498
HEB	650	<b>S 355 J2</b>	12m	2	4,85
HEB	650	<b>S 355 J2</b>	16m	2	7,246
HEB	650	<b>S 355 J2</b>	18m	2	8,145
HEB	650	<b>S 355 J2</b>	20m	4	18,2
HEB	700	S235JR	10m	6	14,605
HEB	700	S235JR	16m	1	3,88
HEB	700	S235JR	17m	5	20,606
HEB	700	S235JR	18m	5	21,8
HEB	700	S235JR	19m	1	4,6
HEB	700	S235JR	20m	10	48,44
HEB	700	<b>S 355 J2</b>	12m	12	34,9
HEB	700	<b>S 355 J2</b>	15m	0	0
HEB	800	<b>S 355 J2</b>	12m		
HEB	800	<b>S 355 J2</b>	15m	5	19,8
HEB	800	<b>S 355 J2</b>	20m	5	26,5
HEB	1000	S235JR	10,90m	1	3,4
HEB	1000	S235JR	15m	1	4,8

<b>HEM</b>					
------------	--	--	--	--	--

HEM	160	S235JR	15m	2	2,286
HEM	200	S235JR	12m	3	3,8
HEM	220	S235JR	6m	1	0,708
HEM	1000	S235JR	7,20m	1	2,5

<b>INP</b>					
------------	--	--	--	--	--

INP	80	S235JR	12m	0	0
INP	100	<b>S 355 J2</b>	2,10m	60	1,07
INP	120	S235JR	5,60m	5	0,31
INP	240	S235JR	12m	1	0,434

<b>IPE</b>					
------------	--	--	--	--	--

IPE	80	S235JR	13,20m	2	0,158
IPE	120	S235JR	5,08m	32	1,69
IPE	120	S235JR	6,65m	1	0,069
IPE	140	S235JR	5,37m	24	1,665
IPE	140	S235JR	5,47m	24	1,695
IPE	140	S235JR	6,00m	720	55,73
IPE	140	S235JR	7,13m	15	1,38
IPE	140	S235JR	7,17m	24	2,22
IPE	140	S235JR	12m	5	0,78
IPE	160	S235JR	12m	5	0,956
IPE	180	S235JR	12m	1	0,227
IPE	200	S235JR	4-6m	?	0,7
IPE	200	S235JR	5,17m	14	1,624
IPE	200	S235JR	10,16m	1	0,228

IPE	220	<b>S 355 J2</b>	12m	89	28,21
IPE	240	<b>S 355 J2</b>	3,50m	2	0,22
IPE	240	<b>S 355 J2</b>	7,05m	0	0
IPE	240	<b>S 355 J2</b>	12m	3	1,1
IPE	270	S235JR	7,70m	1	0,278
IPE	270	S235JR	8,22m	1	0,297
IPE	270	S235JR	10m	1	0,361
IPE	270	S235JR	12m	10	4,3
IPE	270	S235JR	13,80m	2	1
IPE	300	<b>S 355 J2</b>	12m	59	30,1
IPE	330	S235JR	7,36m	5	1,87
IPE	330	S235JR	15m	1	0,741
IPE	360	S235JR	11,39m	1	0,65
IPE	360	S235JR	14m	2	1,599
IPE	400	<b>S 355 J2</b>	12m	28	22,5
IPE	450	S235JR	9,40m	1	0,729
IPE	450	S235JR	18m	2	2,809
IPE	450	<b>S 355 J2</b>	6,05m	1	0,47
IPE	500	S235JR	12,40m	10	11,247
IPE	500	S235JR	14m	5	6,367
IPE	500	S235JR	16m	2	2,902
IPE	500	<b>S 355 J2</b>	6,05m	1	0,55
IPE	500	<b>S 355 J2</b>	12m	22	24
IPE	500	<b>S 355 J2</b>	15m	1	1,361
IPE	550	S235JR	5,90m	1	0,63
IPE	550	S235JR	10,40m	6	6,614
IPE	600	S235JR	7,55m	1	0,921
IPE	600	S235JR	8m	1	0,976
IPE	600	S235JR	8,80m	1	1,074
IPE	600	S235JR	9,70m	1	1,183

		<b>UNP</b>							
--	--	------------	--	--	--	--	--	--	--

UNP	100	S235JR	4,93m	51	2,7
UNP	100	S235JR	5m	4	0,212
UNP	100	S235JR	5,10m	1	0,054
UNP	100	S235JR	5,70m	6	0,37
UNP	100	S235JR	7,51m	3	0,239
UNP	100	S235JR	12m	1	0,13
UNP	100	S235JR	15m	11	1,761
UNP	120	S235JR	5,50m	4	0,295
UNP	120	S235JR	5,90m	4	0,316
UNP	120	S235JR	6,04m	1	0,081
UNP	160	S235JR	6m	37	4,3
UNP	160	S235JR	12m	14	3,2
UNP	180	S235JR	12m	2	0,53
UNP	220	S235JR	6m	16	2,82
UNP	260	<b>S 355 J2</b>	12m	12	5,5

Kontakt/Contact:	Tel. +49 (0)203 45006 -	Fax: - 70
Jürgen Lansen	-40	juergen.lansen@panstahl.de
Michael Ochsendorf	-30	m.ochsendorf@panstahl.de
Thorsten Benning	-11	thorsten.benning@panstahl.de